

08710-Patented Locking System Patented Keyways

- Protected by Corbin Russwin Security Policy
- Less costly than utility patented cylinders

2.04 KEYING

- All cylinders shall be Interchangeable Core employing a patented keyway feature, and furnished with a minimum of 7 pins. Cylinder collar shall be solid and recessed to allow the cylinder face to be flush and be free spinning.
- Establish a new factory generated master key system and provide cylinders that are factory keyed as directed by the owner. Owner shall receive via a secured carrier, return receipt requested a bitting list indicating all bittings generated for this project. Owner to provide system expansion requirements.
- Level of keyway assignment shall be determined by Key Systems Administration based on the systems requirement, and geographically assigned to provide maximum protection to the owner.
- Temporary construction cores shall be furnished during the construction period. Ship all construction cores and temporary keys in accordance with Part 1 of this section.
- All keys shall be factory cut. Keys shall be of nickel silver and furnished with a large bow, stamped "Patented Do Not Duplicate". Provide industry standard Visual Key Control for each permanent cut key; furnish keys in the following quantities.
 - 4 each change keys per cylinder or keyed alike group
 - 2 each control keys
 - 2 each key blanks per cylinder
 - 6 each master keys per master key group
 - 2 each construction control keys
 - 50 each construction keys
- All permanent cylinders, keys and system support material for Level 4 shall be shipped directly to the owner via a secured carrier, return receipt requested. For Level 3 system all material will be shipped to the supplier. Supplier shall receive from the owner Letters of Authorization that are to accompany each procurement.

2.05 KEY CONTROL

- Furnish one key management KeyWizard™ key control software system.
- Provide electronic bitting data to the owner via secured carrier, return receipt requested.
- Provide one key cabinet capable of meeting systems requirements with an additional expansion of up to 150%. Owner to set up.
- Owner to receive training on software application and instruction on key control management techniques.

Corbin Russwin Architectural Hardware • 225 Episcopal Road • Berlin, CT 06037 • Phone: 800-543-3658 • Fax: 800-447-6714

Corbin Russwin and Design® is a registered trademark of Corbin Russwin, Inc., an ASSA ABLOY Group company. Other products' brand names may be trademarks or registered trademarks of their respective owners and are mentioned for reference purposes only. These materials are protected under US copyright laws. All contents current at time of publication. Corbin Russwin, Inc., an ASSA ABLOY Group Company, reserves the right to change availability of any item in this catalog, its design, construction, and/or its materials. Copyright © 2002, 2009 Corbin Russwin, Inc., an ASSA ABLOY Group company. All rights reserved.

Reproduction in whole or in part without the express written permission of Corbin Russwin, Inc. is prohibited.

47152-5/09R